

SKA P 200 R507 (COD. E5091M0000)



Island cabinet - ventilated cooler

Technical data




Temperature	0°C +2°C
Voltage and Frequency	230 V~ 50 Hz
Gas	R507
Net dimension	2057 x 1017 x 1014 mm (l x p x h)
Packed dimension	2150 x 1110 x 1140 mm (l x p x h)
Gross capacity	400 l
Net capacity	295 l
Gross weight	201.00 Kg
Net weight	180.00 Kg
Heat insulation	Rigid polyurethane foam "HCFC/CFC/HFC" free
External cabinet	White plasticised steel sheet
Cabinet bottom	Galvanized steel sheet
Kickplate	1077 x 864 x 298 mm (w x d x h)
Inner tank	White painted sheet non-toxic + in aluminium on the bottom
Lateral glasses	tempered glass
Bumper	White plastic
Frontal grid - colour	White plasticised steel sheet
Side grid - colour	White plasticised steel sheet
Back grid - colour	White plasticised steel sheet
Compressor	3/8 HP
absorbed power	670 W
Power consumption (24h)	5,55 kWh/24h
Condensator	Wire and tube - maintenance free with powered fan
Evaporator	Packed system (finned) with powered fan
Defrosting	Automatic
Climatic class - EN 441	3 (25°C-60%RH)
Plug	European - Angular Plug
Thermometer/Thermostat	Electronic
Brand	FRAMEC
Producer	Mondial Group

SKA P 200 R507 (COD. E5091M0000)



Island cabinet - ventilated cooler

Layout



SKA 200

S_46382 - 00

Updated on 14/09/2016

**SKA P 200 R507
(COD. E5091M0000)**



Island cabinet - ventilated cooler

Image



Updated on
14/09/2016